

# COOKIE POLICY

## Cookie 策略

This Cookie Policy applies to the websites listed at the end of this Policy, which are operated or controlled by AGCO Corporation (“AGCO”).

本 Cookie 政策适用于本政策末尾列出的由 AGCO 集团（“AGCO”）经营或控制的网站。

### What are cookies?

什么是 cookies？

Cookies are small text files that may be stored on your computer or other device when you visit a website. They are generally used to make websites work, to keep track of your movements within the website, and to remember your login details etc.

Cookies 是小型文本文件，当您访问网站时，它们可能存储在您的计算机或其他设备上。它们通常用来确保网页工作，跟踪你在网页内的活动，并记录你的登录细节等。

There are different types of cookies, and they can be distinguished on the basis of their origin, function and lifespan. Important characteristics of cookies include the following:

Cookie 的类型不同，可以根据其来源，功能和寿命进行区分。

Cookies 的重要特征包括：

- **First party cookies** are cookies that are stored by the website you are visiting, while **third party cookies** are stored by a website other than the one you are visiting. Please note that we do not control the collection or further use of data by third parties. We may use third party cookies for purposes that include social listening (i.e., we may receive information from third party social media services that you use, where that information is relevant to our brand). You may control such cookies, as set out below.

**第一方 Cookie** 是由您所访问的网站存储的 Cookie，而**第三方 Cookie** 是由您所访问的网站以外的网站存储的。请注意，我们不控制第三方收集或进一步使用数据。我们可能将第三方 Cookie 用于包括社交聆听的目的（即，我们可能会从您使用的第三方社交媒体服务接收与我们的品牌有关的信息）。您可以控制此类 cookie，如下所述。

- **Necessary cookies** are necessary to allow the technical operation of a website (e.g., they enable you to move around on a website and to use its features).

**必要的 cookie** 是允许网站进行技术操作所必需的（例如，它们使您可以在网站上浏览并使用其功能）。

- **Performance cookies** collect data on the performance of a website such as the number of visitors, the time spent on the website and error messages.

**性能 cookies** 收集关于网站性能的数据，如访客数量，在网站上花费的时间和错误信息。

- **Functionality cookies** increase the usability of a website by remembering your choices (e.g. language, region, login, and so on).

**功能性 Cookie** 通过记住您的选择来提高网站的可用性（例如语言，区域，登录名等）。

- **Targeting/advertising cookies** enable a website to send you personalized advertising.

**目标/广告型 cookies** 使网站能够向您发送个性化广告。

- **Session cookies** are temporary cookies that are erased once you close your browser while **persistent or permanent cookies** stay on your device until you manually delete them or until your browser deletes them based on the duration period specified in the persistent cookie file.

- 会话 cookies 是临时 cookies，一旦您关闭您的浏览器将被删除，而持久性或永久性 cookies 将留在您的设备上，直到您手动删除它们，或者直到您的浏览器根据持久性 cookie 文件中指定的持续时间删除它们。

More information on all aspects of cookies can be found on [www.allaboutcookies.org](http://www.allaboutcookies.org). Please note that AGCO has no affiliation with, and is not responsible for, this third party website.

有关 cookies 各个方面的更多信息，请访问 [www.allaboutcookies.org](http://www.allaboutcookies.org)。请注意，爱科集团与这个第三方网站没有任何隶属关系，也不对这个第三方网站负责。

### **Why do we use cookies?**

为什么我们使用 cookies？

We may use cookies to:

我们可将 cookies 用于：

- improve the use and the functionality of our website;  
改善我们网站的使用及功能；
- tailor our website and products to your needs and preferences;  
根据您的需要和喜好定制我们的网站和产品；
- process your purchase orders;  
处理您的采购订单；
- analyse how our website is used and compile anonymous and aggregate statistics.  
分析我们网站的使用情况，并编制匿名及汇总的统计数字。

We do not use the collected information to create user profiles.

我们不会把收集到的用户信息用来创建用户配置文件。

### **What types of cookies do we use?**

我们使用什么类型的 cookies？

An overview of the cookies used on AGCO websites is set out in the tables included at Appendix 1 to this policy.

关于在 AGCO 网站上使用的 cookies 的概述载于本政策附录 1 中的表格中。

Please note that the processing of your personal data in connection with cookies, and for other purposes, is governed by our Privacy Policy <http://www.agcocorp.com/privacy.html>.

请注意，与 Cookie 相关的个人信息处理以及出于其他目的，受我们的隐私政策

<http://www.agcocorp.com/privacy.html> 管辖。

In addition, we may also use web beacons (or clear GIFs) and other similar technologies in addition to, or in combination with, cookies. A web beacon is typically a transparent graphic image (usually 1 pixel x 1 pixel) that is placed on a site or in an email and it helps us to understand the behaviour of visitors of our website. More information on web beacons can be found on <http://www.allaboutcookies.org/web-beacons/>. Please note that AGCO has no affiliation with, and is not responsible for, this third party website.

此外，除了 cookie 之外，我们还可以使用网络信标（或清晰的 GIF）和其他类似技术。网络信标通常是放置在网站或电子邮件中的透明图形图像（通常为 1 像素 x 1 像素），它可以帮助我们了解网站访问者的行为。有关 Web 信标的更多信息，请访问 <http://www.allaboutcookies.org/web-beacons/>。

请注意，爱科与这个第三方网站没有隶属关系，也不对这个第三方网站负责。

Many of AGCO's websites use Google Analytics, a web analytics service provided by Google, Inc. ("Google"). Google Analytics uses "cookies", which are text files placed on your computer, to help the

website analyse how users use the site. The information generated by the cookie about your use of the website (including your IP address) will be transmitted to and stored by Google on servers in the United States.

爱科公司的许多网站都使用 Google Analytics (分析) , 这是由 Google, Inc. (以下简称 “ Google ” ) 提供的网络分析服务。 Google Analytics (分析) 使用 “ cookie ” (即放置在您计算机上的文本文件) 来帮助网站分析用户如何使用网站。 Cookie 生成的有关您使用网站的信息 (包括您的 IP 地址) 将传输到 Google 并由其存储在美国的服务器上。

Google will use this information for the purpose of evaluating your use of the website, compiling reports on website activity for website operators and providing other services relating to website activity and internet usage. Google may also transfer this information to third parties where required to do so by law, or where such third parties process the information on Google's behalf. Google will not associate your IP address with any other data held by Google. You may refuse the use of cookies by selecting the appropriate settings on your browser, however please note that if you do this you may not be able to use the full functionality of this website. By using any of AGCO's websites, you consent to the processing of data about you by Google in the manner and for the purposes set out above.

Google 将使用这些信息来评估您对网站的使用情况, 为网站运营商编制有关网站活动的报告, 并提供与网站活动和互联网使用有关的其他服务。 根据法律的要求, 或在第三方代表 Google 处理信息的情况下, Google 可能还会将此信息传输给第三方。 Google 不会将您的 IP 地址与 Google 持有的任何其他数据相关联。 您可以通过在浏览器上选择适当的设置来拒绝使用 cookie, 但是请注意, 如果您这样做, 则可能无法使用本网站的全部功能。 使用任何爱科网站, 即表示您同意 Google 以上述方式和目的处理有关您的数据。

For more information please visit <http://www.google.com/analytics/>.

更多信息请参考 <http://www.google.com/analytics/>。

## **How can you control cookies and web beacons?**

如何控制 **cookies** 和网络信标?

Most internet browsers are set to automatically accept cookies. Depending on your browser, you can set your browser to warn you before accepting cookies, or you can set it to refuse them. Please refer to the 'help' button (or similar) on your browser to learn more about how you can do this.

大多数 Internet 浏览器都设置为自动接受 Cookie。 您可以将浏览器设置为在接受 Cookie 之前警告您, 也可以将其设置为拒绝它们, 具体取决于您的浏览器。 请参阅浏览器上的 “帮助” 按钮 (或类似按钮) 以了解有关如何执行此操作的更多信息。

Disabling cookies may impact your experience on our websites.

禁用 **cookies** 可能会影响您对我们网站的使用体验。

If you use different devices to access our websites, you will need to ensure that each browser of each device is set to your cookie preference.

如果您使用其他设备访问我们的网站, 则需要确保将每个设备的每个浏览器都设置为您的 cookie 首选项。

More information on how to manage cookies can be found on <http://www.allaboutcookies.org/manage-cookies/>. Please note that AGCO has no affiliation with, and is not responsible for, this third party website.

关于如何管理 cookie 的更多信息可以在 <http://www.allaboutcookies.org/manage-cookies/>上找到。请注意，爱科与这个第三方网站没有隶属关系，也不对这个第三方网站负责。

In addition, you may opt-out from cookies by visiting the following sites and selecting which company cookies you would like to opt-out from: <http://www.aboutads.info/choices/#completed> and <http://www.youronlinechoices.com/>. Please note that AGCO has no affiliation with, and is not responsible for, these third party websites.

此外，您可以通过访问以下网站并选择您希望从 <http://www.aboutads.info/choices/#completed> 和 <http://www.youronlinechoices.com/>选择退出 cookies:请注意，爱科与这些第三方网站没有隶属关系，也不对这些网站负责。

### Websites to which this Policy applies

适用本政策的网站

This Policy applies to websites that are operated or controlled by AGCO and listed in Appendix 2 to this policy.

本政策适用于 AGCO 运营或控制并列于本政策附录 2 的网站。

Last updated: 17 May 2018

## Appendix 附录 1

### An overview of the cookies used on AGCO websites 爱科网站上使用的 cookie 概述

#### Strictly Necessary Cookies 严格必要的 Cookie

Name	Purpose and Data Stored	Expiry
__cfduid	This cookie is for Cloudflare services. It is a security cookie that is used to identify individual clients behind a shared IP address and apply security settings on a per-client basis. It is not disable-able. It does not hold any personal data. 该 cookie 用于 Cloudflare 服务。它是一个安全 cookie，用于识别共享 IP 地址后面的各个客户端，并基于每个客户端应用安全设置。不可禁用。它不保存任何个人数据。	28/03/2019
__RequestVerificationToken	This is an anti-forgery cookie set by web applications built using ASP.NET MVC technologies. It is designed to stop unauthorized posting of content to a website, known as Cross-Site Request Forgery. It holds no information about the user and is destroyed on closing the browser. 这是由使用 ASP.NET MVC 技术构建的 Web 应用程序设置的防伪 cookie。它旨在阻止未经授权的内容发布到网站，即跨站点请求伪造。它不包含有关用户的信息，并且在关闭浏览器时被破坏。	Session 会话
_icl_current_language	This cookie name is associated with a WordPress multilingual plug-in from WPML. It stores a language value for the website. Where the cookie is set in response to a user action or request, and as long as it has a short lifespan, it can be treated as strictly necessary.	30 days 30 天

	此 Cookie 名称与 WPML 的 WordPress 多语言插件相关联。它存储网站的语言值。如果 cookie 是响应用户操作或请求而设置的，并且只要其寿命很短，就可以将其视为绝对必要。	
.ASPXANONYMOUS	This cookie is used by sites using the .NET technology platform from Microsoft. It enables the site to maintain an anonymous user-id to track unique users within a session without them logging in or otherwise identifying themselves. 使用 Microsoft 的 .NET 技术平台的网站会使用此 cookie。它使站点可以维护匿名用户 ID，以跟踪会话中的唯一用户，而无需他们登录或以其他方式标识自己。	30 days 30 天
ApplicationGatewayAffinity	<b>Cookie-based session affinity</b> - The cookie-based session affinity feature is useful when you want to keep a user session on the same back-end. By using gateway-managed cookies, the Application Gateway is able to direct subsequent traffic from a user session to the same back-end for processing. This feature is important in cases where session state is saved locally on the back-end server for a user session. 基于 Cookie 的会话亲和力-当您要将用户会话保持在同一后端时，基于 Cookie 的会话亲和力功能非常有用。通过使用网关管理的 cookie，该应用程序网关能够将来自用户会话的后续流量定向到同一后端进行处理。在会话状态在后端服务器本地保存用于用户会话的情况下，此功能很重要。	Session 会话
ASP.NET_SessionId	General purpose platform session cookie, used by sites written with Microsoft .NET based technologies. Usually used to maintain an anonymised user session by the server. 通用平台会话 cookie，由使用基于 Microsoft .NET 的技术编写的网站使用。通常用于服务器维护匿名用户会话。	Session 会话
ASPSESSIONIDQQARBTCD	This cookie name is generally associated with use as a general purpose platform session cookie, used by sites written with Microsoft ASP based technologies. The structure of the cookie name is a common root - ASPSESSIONID, followed by a series of unique letters. It is usually used to maintain an anonymised user session by the server. 此 Cookie 名称通常与通用目的平台会话 cookie，由使用基于 Microsoft ASP 的技术编写的网站使用。cookie 名称的结构是一个公共根-ASPSESSIONID，后跟一系列唯一的字母。它通常用于服务器维护匿名用户会话。	Session 会话
ASPSESSIONIDSADRDCRS	This cookie name is generally associated with use as a general purpose platform session cookie, used by sites written with Microsoft ASP based technologies. The structure of the cookie name is a common root - ASPSESSIONID, followed by a series of unique letters. It is usually used to maintain an anonymised user session by the server. 此 Cookie 名称通常与通用目的平台会话 cookie，由使用基于 Microsoft ASP 的技术编写的网站使用。cookie 名称的结构是一个公共根-ASPSESSIONID，后跟一系列唯一的字母。它通常用于服务器维护匿名用户会话。	Session 会话
CART	The association with the customer's shopping cart. (Magento Standard / Strictly Necessary) 与客户的购物车关联。(Magento 标准/绝对必要)	Session 会话
ccy	The currency associated to the chosen store view. (Magento Standard / Strictly Necessary) 与所选商店视图关联的货币。(Magento 标准/完全必要)	1 day 1 天
COMPARE	The items in the customer's Compare Products list. (Magento Standard / Strictly Necessary) 客户的“比较产品”列表中的项目。(Magento 标准/完全必要)	1 day 1 天

CookieConfirm	strictly necessary - used to identify if a user has confirmed the cookie disclaimer. 严格必要-用于标识用户是否已确认 Cookie 免责声明。	1 day 1 天
dnn_IsMobile	strictly necessary - used to identify if the device is a mobile device. 严格必要-用于识别设备是否为移动设备。	Session 会话
DotNetNukeAnonymous	strictly necessary - used by the content management system DNN (which had been used as technical basis for fendt.tv) to identify the anonymous (not logged in) user in a technical way. 严格必要-由内容管理系统 DNN (已用作 fendt.tv 的技术基础) 用于以技术方式识别匿名 (未登录) 用户。	1 day 1 天
DotNetNukeSession	strictly necessary - used by the content management system DNN (which had been used as technical basis for fendt.tv) to identify the webserver session in a technical way. 严格必要-由内容管理系统 DNN (已用作 fendt.tv 的技术基础) 用来以技术方式识别 Web 服务器会话。	1 day 1 天
frontend	Cookie commonly associated with the Magento eCommerce platform. Purpose currently unknown, but most likely stores a session id. Appears to be necessary for much site functionality. 通常与 Magento 电子商务平台关联的 Cookie。目的目前未知, 但最有可能存储会话 ID。似乎是许多站点功能所必需的。	1 day 1 天
guest	This cookie is used for guest users on the JotForm website. 这个 cookie 用于 JotForm 网站上的来宾用户。	1 day 1 天
JSESSIONID	General purpose platform session cookie, used by sites written in JSP. Usually used to maintain an anonymous user session by the server. 通用平台会话 cookie, 用 JSP 编写的站点使用。通常用于由服务器维护一个匿名用户会话。	Session 会话
la_chatanexpert	LeadAnywhere (AGCO Connect). LA tracking code is placed on our sites and allows them to display a chatbox (Chat with an Expert) for visitors to the site. LeadAnywhere (AGCO Connect)。洛杉矶跟踪代码放置在我们的网站上, 并允许他们为网站的访问者显示聊天框 (与专家聊天)。	Session 会话
laravel_session	The CDN that I mentioned before is created on top of a framework called Laravel, and that generates a cookie for any connection that is made to it, this is to keep all the requests for the images fast. This also prevents a DoS (denial-of-service) attack to the service. Which is also a protection cookie. 我前提到的 CDN 是在名为 Laravel 的框架之上创建的, 并且会为与之建立的任何连接生成一个 cookie, 这是为了使所有对图像的请求保持快速。这也可以防止对服务的 DoS (拒绝服务) 攻击。这也是保护 cookie。	01/02/2018
pardot	Pardot - Unique visitor ID. Value of pardot is set when logged in as a Pardot User. 唯一访问者 ID。当以 Pardot 用户登录时设置 Pardot 的值。	Session 会话
PHPSESSID	Cookie generated by applications based on the PHP language. This is a general purpose identifier used to maintain user session variables. It is normally a random generated number, how it is used can be specific to the site, but a good example is maintaining a logged-in status for a user between pages. 应用程序基于 PHP 语言生成的 Cookie。这是用于维护用户会话变量的通用标识符。它通常是一个随机生成的数字, 其使用方式可能特定于站点, 但是一个很好的示例是在页面之间维护用户的登录状态。	Session 会话
store	The store view or language chosen by the shopper. (Magento Standard / Strictly Necessary) 购物者选择的商店视图或语言。(Magento 标准/绝对必要)	1 day 1 天
um_IsMobile	This cookie is used to identify if the device is a mobile device. 这个 cookie 用于识别该设备是否是移动设备。	Session 会话

USERNAME_CHANGED	This cookie is used by a logged in user. If a logged in user changes his email address AND the system uses the email address as unique name, the email address will be stored and a forced logout will happen. 该 Cookie 由登录用户使用。 如果登录的用户更改了他的电子邮件地址，并且系统使用该电子邮件地址作为唯一名称，则该电子邮件地址将被存储，并且将强制注销。	Session 会话
videoCDN	This cookie is used to identify the video delivery to a session. 这个 cookie 用于识别发送到会话的视频。	1 day 1 天
visitor_id71092	Pardot - Unique visitor id. Tracks user activity across our sites where the Pardot tracking code is installed. The domain go.agcocorp.com is associated with Pardot. 唯一访问者 id。在安装了 Pardot 跟踪代码的站点上跟踪用户的活动。域名 go.agcocorp.com 与 Pardot 有关。	10 years 10 年
visitor_id71092-hash	Pardot - Unique visitor id. Tracks user activity across our sites where the Pardot tracking code is installed. The domain go.agcocorp.com is associated with Pardot. 唯一访问者 id。在安装了 Pardot 跟踪代码的站点上跟踪用户的活动。域名 go.agcocorp.com 与 Pardot 有关。	10 years 10 年
X-Mapping-xxxxxxx	The X-Mapping cookie is associated with the Stingray Traffic Manager platform from Riverbed, which is a load balancing application for high traffic web services and sites. Used to route data and page requests to the correct server where a site is hosted on multiple servers. It has a common root of X-Mapping- followed by an eight letter code. For more information see: <a href="https://splash.riverbed.com/docs/DOC-1515">https://splash.riverbed.com/docs/DOC-1515</a> . X-Mapping cookie 与 Riverbed 的 Stingray Traffic Manager 平台相关联，该平台是用于高流量 Web 服务和站点的负载平衡应用程序。用于将数据和页面请求路由到在多个服务器上托管站点的正确服务器。它具有 X-Mapping- 的共同根，后跟八个字母代码。有关更多信息，请参见： <a href="https://splash.riverbed.com/docs/DOC-1515">https://splash.riverbed.com/docs/DOC-1515</a> 。	1 day 1 天
XSRF-TOKEN	This cookie is a "Cross-Site Request Forgery (CSRF)" token, which is a token to prevent forgery of urls, to guarantee that the content is being server from the correct server, and not from a fake website that someone else has duplicated. This is a protection cookie 这个 cookie 是一个“跨站点请求伪造(CSRF)”令牌，这是一个防止伪造 urls 的令牌，以保证内容是来自正确的服务器，而不是来自一个虚假的网站，其他人已经复制。这是一个保护 cookie	1 day 1 天
incap_ses_417_299548, ajax,PP3-SID, ppl_win_status, visid_incap_299548	Session handler cookies used by the CMS framework. CMS 框架使用的会话处理程序 cookies。	Session 会话
csrf_csrf_token	Cross-Site Request Forgery cookie. 跨站点请求伪造 cookie。	Session 会话

### Performance Cookies 性能 Cookies

Name	Purpose and Data Stored	Expiry
------	-------------------------	--------

_ga	<p>This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports.</p> <p>此 Cookie 名称与 Google Universal Analytics 相关联-这是对 Google 更常用的分析服务的重大更新。该 cookie 通过分配随机生成的数字作为客户端标识符来区分唯一用户。它包含在网站的每个页面请求中,用于计算网站分析报告的访问者,会话和广告系列数据。</p>	2 years 2 年
_gat	<p>This cookie name is associated with Google Universal Analytics, according to documentation it is used to throttle the request rate - limiting the collection of data on high traffic sites.</p> <p>这个 Cookie 名称与谷歌 Universal Analytics 有关,根据文档,它用于控制请求率-限制高流量站点上的数据收集。</p>	10 minutes 10 分钟
_gat_gtag_UA_19991498_11, _gat_gtag_UA_19991498_11, _gat_*	<p>This is a pattern type cookie set by Google Analytics, where the pattern element on the name contains the unique identity number of the account or website it relates to. It appears to be a variation of the _gat cookie which is used to limit the amount of data recorded by Google on high traffic volume websites.</p> <p>这是 Google Analytics (分析) 设置的模式类型 cookie,其中名称上的模式元素包含与其相关的帐户或网站的唯一标识号。它似乎是 _gat cookie 的变体,用于限制 Google 在高流量网站上记录的数据量。</p>	10 minutes 10 分钟
_gid	<p>This cookie name is associated with Google Universal Analytics. It appears to store and update a unique value for each page visited.</p> <p>这个 cookie 名称与谷歌 Universal Analytics 相关联。它似乎为访问的每个页面存储和更新一个唯一的值。</p>	1 day 1 天
ep202	<p>This cookie name is associated with SurveyMonkey and is set by load balancer, user tracking. Source attribution (attributing where the respondent has arrived from), abuse monitoring, persistent_id, optimization tracking (provides aggregate data to help us optimize use of service), completion rates tracking. Used as a unique user identifier to test experiment survey taking experiences (e.g. display survey in different ways to see what is most effective).</p> <p>此 cookie 名称与 SurveyMonkey 关联,并由负载均衡器(用户跟踪)设置。源归因(响应者来自何处的归因),滥用监视,persistent_id,优化跟踪(提供汇总数据以帮助我们优化服务的使用),完成率跟踪。用作唯一的用户标识符,以测试实验问卷调查的体验(例如,以不同方式显示问卷调查以查看最有效的方法)。</p>	1 year 1 年
JSESSIONID	<p>This cookie is set by New Relic which we use for monitoring the server performance.</p> <p>这个 cookie 是由 New Relic 设置的,我们用它来监控服务器的性能。</p>	Session 会话
mboxPC	<p>Cookie set by Adobe SiteCatalyst analytics software - used for measuring the performance of page content using A/B split testing</p> <p>由 Adobe SiteCatalyst 分析软件设置的 Cookie-用于通过 A / B 拆分测试评估页面内容的性能</p>	2 years 2 年
mboxSession	<p>Cookie set by Adobe SiteCatalyst analytics software - used for measuring the performance of page content using A/B split testing</p> <p>由 Adobe SiteCatalyst 分析软件设置的 Cookie-用于通过 A / B 拆分测试评估页面内容的性能</p>	1 day 1 天
isc_cState	<p>The cookie variable managed by SmartGWT (SmartClient) framework. The cookie variable is used within SmartGWT's HTTP compression support.</p> <p>由 SmartGWT (SmartClient) 框架管理的 cookie 变量。cookie 变量在 SmartGWT 的 HTTP 压缩支持中使用。</p>	Session 会话



GLog	The cookie variable managed by SmartGWT (SmartClient) framework. It is used by the client logging system. 由 SmartGWT (SmartClient) 框架管理的 cookie 变量。客户端日志记录系统使用它。	27/04/2038
s_vi	In addition to "s_sq", this cookie is also used to track anonymous user movement throughout the site as part of our Enhanced Reporting statistics tool that comes with our IR hosting packages. For example, this will allow AGCO to determine the number of users that visited their Annual Meeting page, or that read a certain press release. It will not inform them of who that user was, and what their email address is, etc. Classification: Performance. 除 "s_sq" 外, 此 cookie 还作为 IR 托管程序包随附的 Enhanced Reporting 统计工具的一部分, 还用于跟踪整个站点中的匿名用户移动。例如, 这将使 AGCO 可以确定访问其 "年会" 页面或阅读特定新闻稿的用户数量。它不会通知他们该用户是谁, 以及他们的电子邮件地址等等。分类: 性能。	19/04/2020

### Functionality Cookies

	Purpose and Data Stored	Expiry
__aravid	This cookie is used by Youku, the video hosting platform in China (similar to Youtube) 这个 cookie 是中国视频托管平台优酷使用的(类似于 Youtube)	Session 会话
__atuvc	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. It stores an updated page share count. 该 cookie 与 AddThis 社交共享小部件相关联, 该小部件通常嵌入在网站中, 以使访问者能够与一系列网络和共享平台共享内容。它存储更新的页面共享计数。	1 day 1 天
__atuvv	This cookie is associated with the AddThis social sharing widget which is commonly embedded in websites to enable visitors to share content with a range of networking and sharing platforms. This is believed to be a new cookie from AddThis which is not yet documented, but has been categorised on the assumption it serves a similar purpose to other cookies set by the service. 此 cookie 与 "AddThis social sharing" 插件相关联, 该插件通常嵌入此 cookie 与 AddThis 社交共享小部件相关联, 该小部件通常嵌入网站中, 以使访问者可以与一系列网络和共享平台共享内容。据信, 这是 AddThis 的一个新 cookie, 尚未记录, 但已基于与服务设置的其他 cookie 具有相似目的的目的进行了分类。	1 day 1 天
__ayft, __aypstp, __ayscnt	These cookies are used by Youku, the video hosting platform in China (similar to Youtube) 这些 cookie 是中国视频托管平台优酷(类似于 Youtube)使用的。	Session 会话
__aysid, __ayspstp	These cookies are used by Youku, the video hosting platform in China (similar to Youtube) 这些 cookie 是中国视频托管平台优酷(类似于 Youtube)使用的。	1 day 1 天
__cfduid	This cookie is for Cloudflare services. It is a security cookie that is not disable-able. It does not hold any personal data. It is used for GeoTargeting purposes by IP location 该 cookie 用于 Cloudflare 服务。这是一个安全 cookie, 不是禁用。它不保存任何个人数据。通过 IP 位置用于地理定位	1 year 1 天
__ysuid	This cookie is used by Youku, the video hosting platform in China (similar to Youtube)	Session 会话

	这个 cookie 是中国视频托管平台优酷使用的(类似于 Youtube)	
_csrf	Cross-site request forgery 跨站点需求的伪造	Session 会话
c34la_uid	LeadAnywhere (AGCO Connect). LA tracking code is placed on our sites and allows them to display a chatbox (Chat with an Expert) for visitors to the site. LeadAnywhere(爱科连接)。LA 跟踪代码已放置在我们的网站上, 并允许他们为网站的访问者显示聊天框(与专家聊天)。	1 year 1 年
cna	This cookie is used by Youku, the video hosting platform in China (similar to Youtube) 这个 cookie 是中国视频托管平台优酷使用的(类似于 Youtube)	1 year 1 年
ep201, ep202, SSID, SSLB, SSPV, SSRT, SSSC	These cookies are used by WUFOO forms to save user states across page requests when completing a form WUFOO 表单使用这些 cookie 来在填写表单时跨页面请求保存用户状态	1 day 1 天
isg	This cookie is used by Youku, the video hosting platform in China (similar to Youtube) 这个 cookie 是中国视频托管平台优酷使用的(类似于 Youtube)	3 months 3 个月
la_chatanexpert	LeadAnywhere tracking code is placed on our sites and allows them to display a chatbox (Chat with an Expert) for visitors to the site. LeadAnywhere 跟踪代码放置在我们的网站上, 并允许他们为网站的访问者显示聊天框(与专家聊天)。	Session 会话
language	This cookie is used to store language preferences, potentially to serve up content in the stored language. The ICC category given here is based on this usage. 该 cookie 用于存储语言首选项, 有可能以存储的语言提供内容。此处给出的 ICC 类别基于此用法。	Session 会话
linkedin_oauth_fx6ylgcj5vnnv, linkedin_oauth_fx6ylgcj5vnnv_crc	This cookie allows users to login with the JS LinkedIn API 该 cookie 允许用户使用 JS LinkedIn API 登录	Session 会话
theme	This cookie is related to the theme of the online form that has been used. This cookie can be turned off. 该 cookie 与已使用的在线表单的主题有关。可以关闭该 cookie。	1 day 1 天
userReferer	This cookie is used to log JotForm user references. For example, how do users discover Jotform? Via a search tool etc... This cookie can be disabled. 该 cookie 用于记录 JotForm 用户引用。例如, 用户如何发现 Jotform? 通过搜索工具等... 可以禁用此 cookie。	1 day 1 天
visitor_id71092-hash	This cookie is used by Pardot to track user activity across our sites where the Pardot tracking code is installed. Pardot 使用此 cookie 来跟踪我们安装了 Pardot 跟踪代码的站点之间的用户活动。	10 years 10 年
la_chatanexpert	LeadAnywhere (AGCO Connect). LA tracking code is placed on our sites and allows them to display a chatbox (Chat with an Expert) for visitors to the site. LeadAnywhere(爱科连接)。洛杉矶跟踪代码已放置在我们的网站上, 并允许他们为网站的访问者显示聊天框(与专家聊天)。	Session 会话
timestamp	FunCaptcha is a managed CAPTCHA service. It stops automated abuse and keeps human conversion high with fun visual activities that are easy to understand. FunCaptcha 是一项托管的验证码服务。它可以阻止自动滥用行为, 并通过易于理解的有趣的视觉活动来保持较高的人类转化率。	Session 会话
__distillery	Wistia Inc. video player cookie recording the position where the video has been stopped to allow playback continuation Wistia Inc. 视频播放器 cookie, 记录了视频已停止的位置以允许继续播放	1 year 1 年
time_zone	generic time zone cookie	Session

	通用时区的 cookie	
__cfduid	This cookie is used for pulling in embedded data about links for the AGCO Blog and Social Media channels. 该 cookie 用于提取有关 AGCO Blog 和 Social Media 频道链接的嵌入式数据。	20/04/2019
s_vi	In addition to “s_sq”, this cookie is also used to track anonymous user movement throughout the site as part of our Enhanced Reporting statistics tool that comes with our IR hosting packages. For example, this will allow AGCO to determine the number of users that visited their Annual Meeting page, or that read a certain press release. It will not inform them of who that user was, and what their email address is, etc. Classification: Performance. 除 “s_sq” 外，此 cookie 还作为 IR 托管程序包随附的 Enhanced Reporting 统计工具的一部分，还用于跟踪整个站点中的匿名用户移动。例如，这将使 AGCO 可以确定访问其“年会”页面或阅读特定新闻稿的用户数量。它不会通知他们该用户是谁，以及他们的电子邮件地址等等。分类：性能。	19/04/2020
GZIP	On the AGCO IR homepage, there is an interactive stock chart. This cookie is used in conjunction with that stock chart to determine the appropriate level of GZIP support. Classification: Functionality (though they may classify differently) 在 AGCO IR 主页上，有一个交互式库存图。该 Cookie 与该库存图一起使用，以确定适当的 GZIP 支持级别。分类：功能（尽管它们可能会有所不同）	19/04/2023

### Targeting Cookies 定位 Cookie

Name	Purpose and Data Stored	Expiry
__qca, __utma, __utmv, __utmz	LinkedIn Google Analytics Cookies LinkedIn 谷歌分析 cookie	1 year 1 年
__utma	This cookie keeps track of the number of times a visitor has been to the site pertaining to the cookie, when their first visit was, and when their last visit occurred. Google Analytics uses the information from this cookie to calculate things like Days and Visits to purchase. 该 Cookie 跟踪访问者访问该 Cookie 的网站的次数，首次访问的时间以及上次访问的时间。Google Analytics（分析）使用该 Cookie 中的信息来计算购买天数和访问次数。	18 months 18 个月
__utma	This cookie keeps track of the number of times a visitor has been to the site pertaining to the cookie, when their first visit was, and when their last visit occurred. Google Analytics uses the information from this cookie to calculate things like Days and Visits to purchase. 该 Cookie 跟踪访问者访问该 Cookie 的网站的次数，首次访问的时间以及上次访问的时间。Google Analytics（分析）使用该 Cookie 中的信息来计算购买天数和访问次数。	2 years 2 年
__utmb, __utmc	Google Analytics Cookie - __utmb takes a timestamp of the exact moment in time when a visitor enters a site, while __utmc takes a timestamp of the exact moment in time when a visitor leaves a site. __utmb expires at the end of the session. __utmc waits 30 minutes, and then it expires. __utmc has no way of knowing when a user closes their browser or leaves a website, so it waits 30 minutes for another pageview to happen, and if it doesn't, it expires.	1 day 1 天

	Google Analytics (分析) Cookie-__utmb 记录访问者进入站点的确切时间的戳, 而__utmc 记录访问者离开站点的确切时间的戳。 __utmb 在会话结束时到期。 __utmc 等待 30 分钟, 然后过期。 __utmc 无法知道用户何时关闭浏览器或离开网站, 因此它需要等待 30 分钟才能进行另一次综合浏览, 否则, 该综合浏览将过期。	
__utmt	Google Analytics Cookie - Used to throttle request rate. 谷歌分析 Cookie-用于限制请求率。	1 day 1 天
__utmz	This cookie keeps track of where the visitor came from, what search engine you used, what link you clicked on, what keyword you used, and where they were in the world when you accessed a website. This cookie is how Google Analytics knows to whom and to what source / medium / keyword to assign the credit for a Goal Conversion or an Ecommerce Transaction. 此 cookie 跟踪访问者来自何处, 使用了什么搜索引擎, 单击了什么链接, 使用了什么关键字以及访问网站时他们在世界上的位置。此 Cookie 是 Google Analytics (分析) 如何知道向谁以及向哪个源/媒介/关键字分配目标转化或电子商务交易功劳的功劳。	6 months 6 个月
__utmz	This cookie keeps track of where the visitor came from, what search engine you used, what link you clicked on, what keyword you used, and where they were in the world when you accessed a website. This cookie is how Google Analytics knows to whom and to what source / medium / keyword to assign the credit for a Goal Conversion or an Ecommerce Transaction. 这个 cookie 可以追踪访问者的来源、使用的搜索引擎、点击的链接、使用的关键字以及他们在你访问网站时所处的位置。这个 cookie 是谷歌 Analytics 知道谁和什么来源/媒体/关键字分配信用的目标转换或电子商务交易。	3 months 3 个月
_kuid_	Registers a unique ID that identifies a returning user's device. The ID is used for targeted ads. 注册一个唯一的 ID, 该 ID 标识返回用户的设备。 该 ID 用于定向广告。	3 months 3 个月
_uetsid	Microsoft Bing Ads Universal Event Tracking (UET) tracking cookie 微软必应 Ads 通用事件跟踪 (UET) 跟踪 cookie	1 day 1 天

<p>354_eng, 881_ins, 883_ins, 913_ins, la_decline, la_engid, la_entry, la_error, la_inid, la_itrkd, la_ittrk, la_page1, la_page10, la_page11, la_page12, la_page13, la_page14, la_page15, la_page16, la_page17, la_page18, la_page19, la_page2, la_page20, la_page21, la_page22, la_page23, la_page24, la_page25, la_page26, la_page27, la_page28, la_page29, la_page3, la_page30, la_page31, la_page32, la_page33, la_page34, la_page35, la_page36, la_page37, la_page38, la_page39, la_page4, la_page40, la_page41, la_page42, la_page43, la_page44, la_page45, la_page46, la_page47, la_page48, la_page49, la_page5, la_page50, la_page51, la_page6, la_page7, la_page8, la_page9, la_pagecount, la_poll la_ref, la_root, la_sttrk, la_time10, la_time11, la_time12, la_time13, la_time14, la_time15, la_time16, la_time17, la_time18, la_time19, la_time2, la_time20, la_time21, la_time22, la_time23, la_time24, la_time25, la_time26, la_time27, la_time28, la_time29 la_time3, la_time30, la_time31, la_time32, la_time33, la_time34, la_time35, la_time36, la_time37, la_time38, la_time39, la_time4, la_time40, la_time41, la_time42, la_time43, la_time44, la_time45, la_time46, la_time47, la_time48, la_time49, la_time5, la_time50, la_time6, la_time7, la_time8, la_time9, la_trkd, la_ttrk, la_uid, la_visitcount,</p>	<p>LeadAnywhere web analytics cookies LeadAnywhere web 分析 cookie</p>	<p>30 days 30 天</p>
<p>ab</p>	<p>Unclassified marketing Cookie 未分类的营销 Cookie</p>	<p>1 year 1 年</p>
<p>APID</p>	<p>Marketing Cookie 营销 Cookie</p>	<p>1 year 1 年</p>
<p>APISID, NID, SSID, SAPISID</p>	<p>Google set a number of cookies on any page that includes a Google Map. While we have no control over the cookies set by Google, they appear to include a mixture of pieces of information to measure the number and behaviour of Google Maps users. Google 在包含以下内容的任何页面上设置了一些 Cookie: 谷歌地图。 尽管我们无法控制 Google 设置的 Cookie, 但它们似乎包含了多种信息, 可用于衡量 Google Maps 用户的数量和行为。</p>	<p>18 months 18 个月</p>

APISID, SID, SAPISID, APISID, SSID, HSID, NID, PREF	<p>Google set a number of cookies on any page that includes a Google Map. While we have no control over the cookies set by Google, they appear to include a mixture of pieces of information to measure the number and behaviour of Google Maps users. Various unique identifiers, except for PREF which stores your options such as preferred zoom level.</p> <p>Google 在包含以下内容的任何页面上设置了一些 Cookie: 谷歌地图。 尽管我们无法控制 Google 设置的 Cookie, 但它们似乎包含了多种信息, 可用于衡量 Google Maps 用户的数量和行为。 各种唯一的标识符, 除了用于存储选项 (例如首选缩放级别) 的 PREF 之外。</p>	18 months 18 个月
ASP.NET_SessionId	<p>That is a cookie that ASP.NET uses to store a unique identifier for your session</p> <p>这是 ASP.NET 用于为您的会话存储唯一标识符的 cookie</p>	Session 会话
auth_token	<p>To track visitor information and for security authentication</p> <p>跟踪访客信息并进行安全认证</p>	5 years 5 年
bcookie	<p>LinkedIn Browser ID cookie</p> <p>领英浏览器 ID Cookie</p>	18 months 18 个月
bkdc	<p>Bluekai - Oracle   These record user information (not personal or sensitive data) for advertising purposes.</p> <p>Bluekai-甲骨文  这些记录用于广告目的的用户信息 (不是个人或敏感数据)。</p>	3 months 3 个月
bku	<p>Bluekai - Oracle   These record user information (not personal or sensitive data) for advertising purposes.</p> <p>Bluekai-甲骨文  这些记录用户信息 (不是个人信息)</p>	6 months 6 个月

	<p>or sensitive data) for advertising purposes.</p> <p>或敏感数据) 用于广告目的。</p>	
bscookie	<p>LinkedIn Secure browser ID cookie</p> <p>LinkedIn 安全浏览器 ID cookie</p>	18 months 18 个月
c, rpx, kaos, put_2307, rpb	<p>This cookie is generated by double-click floodlight tags. This cookie holds random strings.</p> <p>该 Cookie 是通过双击 Floodlight 代码生成的。 该 Cookie 包含随机字符串。</p>	30 days 30 天
CMDD, CMID, CMPRO, CMPS, CMRUM3, CMSC, CMST	<p>Collects anonymous data related to the user's visits to the website, such as the number of visits, average time spent on the website and what pages have been loaded, with the purpose of displaying targeted ads.</p> <p>收集与用户访问网站有关的匿名数据, 例如访问次数, 在网站上花费的平均时间以及加载了哪些页面, 目的是展示目标广告。</p>	Session 会话
datr	<p>This cookie identifies the browser connecting to Facebook. It is not directly tied to individual Facebook the user. Facebook reports that it is used to help with security and suspicious login activity, especially around detection of bots trying to access the service. Facebook also say the behavioural profile associated with each datr cookie is deleted after 10 days. This cookie is also read via Like and other Facebook buttons and tags placed on many different websites.</p> <p>该 cookie 标识连接到 Facebook 的浏览器。 它不直接绑定到单个 Facebook 用户。 Facebook 报告称, 它用于帮助进行安全性和可疑的登录活动, 尤其是在检测到试图访问该服务的漫游器方面。 Facebook 还说, 与每个 datr cookie 相关的行为特征会在 10 天后删除。 该 Cookie 也可以通过放置在许多不同网站上的 Like 和其他 Facebook 按钮和标签来读取。</p>	18 months 18 个月

demdex	<p>Adobe Audience Manager sets this cookie to assign a unique ID to a site visitor. The demdex cookie helps Audience Manger perform basic functions such as visitor identification, ID synchronization, segmentation, modeling, reporting, etc. The demdex cookie has a time-to-live (TTL) interval of 180-days. The TTL is reset to 180-days upon each user interaction with a partner website. The cookie expires if a user does not come back to your site within the TTL interval. Opt-out: Audience Manager resets the cookie with a Do Not Target string if a user opts-out of data collection. In this case, the cookie TTL is set as 10 years.</p> <p>Adobe Audience Manager 设置此 cookie，以为站点访问者分配唯一的 ID。demdex cookie 帮助受众管理器执行基本功能，例如访问者识别，ID 同步，分段，建模，报告等。demdexcookie 的生存时间（TTL）间隔为 180 天。每次用户与合作伙伴网站互动后，TTL 都会重置为 180 天。如果用户未在 TTL 间隔内返回您的网站，则 cookie 过期。退出：如果用户选择退出数据收集，则 Audience Manager 会使用“不定位”字符串重置 Cookie。在这种情况下，cookie TTL 设置为 10 年。</p>	<p>180 days - 10 years 180 天到 10 年</p>
dl2,bt2	<p>AddThis is a technology company that allows websites and their users to share contents easily with each other, by means of exchange icons and social bookmarking sites. AddThis cookies are used to allow content to be shared. AddThis is also used to find out how content is shared in the website. Used by the social sharing platform AddThis to keep a record of parts of the site that has been visited in order to recommend other parts of the site</p> <p>AddThis 是一家技术公司，它允许网站及其用户通过交换图标和社交书签站点轻松地彼此共享内容。AddThis cookie 用于允许共享内容。AddThis 还用于查找网站中内容的共享方式。社交共享平台 AddThis 用于保存记录。为了推荐网站的其他部分而访问过的网站的一部分</p>	<p>8 months 8 个月</p>
dpm	<p>Advertising/Tracking cookie used by Adobe Audience Manager Adobe Audience Manager 使用的广告/跟踪 cookie</p>	<p>24/07/2018</p>
ex	<p>AddThis is ability for user to share on social media AddThis 在社交媒体上分享的能力</p>	<p>1 day 1 天</p>
fr	<p>Contains browser and user unique ID combinaton, used for targeted advertising. 包含浏览器和用户唯一的 ID 组合，用于定向广告。</p>	<p>2 months 2 个月</p>
guest_id	<p>To track visitor information and for security authentication 跟踪访客信息并进行安全认证</p>	<p>5 years 5 年</p>
HSID	<p>Used by Google in combination with SID to verify Google user account and most recent login time 谷歌与 SID 结合使用，以验证 Google 用户帐户和最近的登录时间</p>	<p>18 months 18 个月</p>
id	<p>Used by Google DoubleClick to register and report the website user's actions after viewing or clicking one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user. 由谷歌 DoubleClick 用来在查看或点击广告客户的广告之一后注册和报告网站用户的行为，目的是衡量广告的效果并向用户展示目标广告。</p>	<p>18 months 18 个月</p>
id	<p>Yieldlab is a supply side platform and solution for private marketplaces within Europe's publishing industry. Yieldlab uses cookies to optimise and control advertisements from its clients displayed for the user – for example, the display frequency of any given advertisement to be seen by the user.</p>	<p>1 year 1 年</p>

	<p>In individual cases, Yieldlab also uses cookie information for statistical surveys.</p> <p>Yieldlab 是面向欧洲出版业私人市场的供应方平台和解决方案。Yieldlab 使用 Cookie 来优化和控制来自其为用户显示的客户端的广告-例如，用户可以看到任何给定广告的任何显示频率。在个别情况下，Yieldlab 还将 cookie 信息用于统计调查。</p>	
id, mdata, syncdata_TTD	<p>We use AddThis to enable customers to share our site content via email or social media tools such as Facebook and Twitter. This cookie does not contain any personally identifiable information. To opt out of receiving these cookies please visit <a href="http://www.addthis.com/privacy">www.addthis.com/privacy</a>. The individual social networks may set their own cookies too.</p> <p>我们使用 AddThis 使客户能够通过电子邮件或社交媒体工具（例如 Facebook 和 Twitter）共享我们的网站内容。该 cookie 不包含任何个人身份信息。要选择不接收这些 cookie，请访问 <a href="http://www.addthis.com/privacy">www.addthis.com/privacy</a>。各个社交网络也可以设置自己的 cookie。</p>	1 year 1 年
KRTBCOOKIE_377, PUBMDCID, PugT	<p>This cookie is generated by double-click floodlight tags. This cookie holds random strings.</p> <p>该 Cookie 是通过双击 Floodlight 代码生成的。该 Cookie 包含随机字符串。</p>	30 days 30 天
lang	<p>Helps us to determine the language settings of the user's browser, to better serve relevant information in the right language.</p> <p>帮助我们确定用户浏览器的语言设置，以便更好地以正确的语言提供相关信息。</p>	Session 会话
lang	<p>Helps us to determine the language settings of the user's browser, to better serve relevant information in the right language.</p> <p>帮助我们确定用户浏览器的语言设置，以便更好地以正确的语言提供相关信息。</p>	Session 会话
lidc	<p>LinkedIn cookie Used for routing</p> <p>LinkedIn cookie 用于路由选择</p>	28/03/2018
loc	<p>AddThis: Used to store the visitors geolocation to record location of sharer</p> <p>AddThis: 用于存储访问者的地理位置以记录共享者的位置</p>	1 year 1 年
lu	<p>Used to manage the login process, remembers user on return visit if they choose to stay logged in.</p> <p>用于管理登录过程，如果用户选择保持登录状态，则会记住回访时的用户。</p>	18 months 18 个月
MUID	<p>Advertising cookie used by Bing, a web search engine owned and operated by Microsoft.</p> <p>由 Microsoft 拥有和运营的网络搜索引擎 Bing 使用的广告 Cookie。</p>	1 year 1 年
MUIDB	<p>These cookies are used by Microsoft advertising to anonymously identify user sessions to help us measure the effectiveness of our marketing campaigns</p> <p>Microsoft 广告使用这些 Cookie 来匿名标识用户会话，以帮助我们评估营销活动的有效性</p>	2 years 2 年
mus, um	<p>AddThis is a technology company that allows websites and their users to share contents easily with each other, by means of exchange icons and social bookmarking sites. AddThis cookies are used to allow content to be shared. AddThis is also used to find out how content is shared in the website.</p>	1 year 1 年



	AddThis 是一家技术公司，它允许网站及其用户通过交换图标和社交书签站点轻松地彼此分享内容。AddThis cookie 用于允许分享内容。AddThis 还用于查找网站中内容的共享方式。	
pdv	AddThis is ability for user to share on social media AddThis 是用户在社交媒体上分享的能力	1 day 1 天
PERSIST	Used to collect user preferences for a specific website 用于收集特定网站的用户偏好	Session 会话
PREF	This is a common Google cookie, used across several of their services. Stores user preference and can be used to personalise ads on google searches 这是一个常见的 Google Cookie，用于其多项服务。存储用户首选项，可用于个性化 Google 搜索中的广告	18 months 18 个月
remember_checked	To track visitor information and for security authentication 跟踪访客信息并进行安全认证	5 years 5 年
remember_checked_on	To track visitor information and for security authentication 跟踪访客信息并进行安全认证	5 years 5 年
rtbData0	This is an advertising cookie used by adap.tv 这是 adap.tv 使用的广告 Cookie	2 years 2 年
secure_session	To track visitor information and for security authentication 跟踪访客信息并进行安全认证	5 years 5 年
sess	This is an advertising cookie used by AppNexus to track the users session 这是 AppNexus 用于跟踪用户会话的广告 Cookie	1 day 1 天
SEUNCY	Registers a unique ID that identifies the user's device for return visits. 注册一个唯一的 ID，该 ID 标识用于回访的用户设备。	6 months 6 个月
SID	This cookie is used by Google in combination with HSID to verify a Google user account and most recent login time. Google 将此 Cookie 与 HSID 结合使用，以验证 Google 用户帐户和最近的登录时间。	18 months 18 个月
stx_user_id	Analytics, multivariate testing, and site optimisation. 分析，多元测试和网站优化。	1 year 1 年
TapAd_DID	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user. 用于确定用户使用哪种类型的设备（智能手机，平板电脑，计算机，电视等）。	30 days 30 天
TapAd_TS	Used to determine what type of devices (smartphones, tablets, computers, TVs etc.) is used by a user. 用于确定用户使用哪种类型的设备（智能手机，平板电脑，计算机，电视等）。	2 months 2 个月
TDCPM	This is an advertising cookie used by TheTradeDesk 这是交易台使用的广告 cookie	1 year 1 年
TDID	This is an advertising cookie used by TheTradeDesk 这是交易台使用的广告 cookie	1 year 1 年
to_checksum	TruOptik is a Data Management Platform, helps to identify and segment target audience TruOptik 是一个数据管理平台，有助于识别和细分目标受众	1 day 1 天
to_checksum	TruOptik is a Data Management Platform, helps to identify and segment target audience TruOptik 是一个数据管理平台，有助于识别和细分目标受众	1 day 1 天
to_master	TruOptik is a Data Management Platform, helps to identify and segment target audience	1 year 1 年

	TruOptik 是一个数据管理平台，有助于识别和细分目标受众	
to_version	TruOptik is a Data Management Platform, helps to identify and segment target audience TruOptik 是一个数据管理平台，有助于识别和细分目标受众	1 year 1 年
tuuid	Adbrain uses cookies to and other data collected from people's devices to enable cross-device tracking for the purposes of serving up targeted advertising. Adbrain 使用 Cookie 以及从人的设备收集的其他数据来启用跨设备跟踪，以提供有针对性的广告。	2 years 2 年
tuuid, c, tuuid_last_update	Registers whether or not the user has consented to the use of cookies. 注册用户是否同意使用 cookie。	1 year 1 年
twll	To track visitor information and for security authentication 跟踪访客信息并进行安全认证	5 years 5 年
U	Cookie collects non-identifiable data, sent to unidentified source. Source identity is kept secret by Whois Privacy Protection Service Inc. Cookie 收集无法识别的数据，并将其发送到未识别的来源。Whois 隐私保护服务公司对其源身份保密。	3 months 3 个月
u	Unclassified marketing Cookie 未分类的营销 Cookie	1 year 1 年
UID, UIDR	We use a third party solution to handle our blog comments, this solution stores cookies to ease return use of the blog, further information can be found on their privacy policy 我们使用第三方解决方案来处理我们的博客评论，这个解决方案存储 cookie 以方便返回使用的博客，进一步的信息可以在他们的隐私政策中找到	2 years 2 年
uuid2	This is an advertising cookie used by AppNexus to track the users session 这是 AppNexus 用于跟踪用户会话的广告 Cookie	1 day 1 天
uvc	AddThis: Tracks how often a user interacts with AddThis AddThis: 跟踪用户与 AddThis 互动的频率	1 year 1 年
vc	AddThis: Used by the social sharing platform AddThis AddThis: 由社交共享平台 AddThis 使用	1 year 1 年
visitor_id71092, visitor_id71092hash, lpv71092 pardot	Tracking cookie used by Pardot. Pardot cookies store no personally identifying information whatsoever — only a unique identifier. 跟踪 Pardot 使用的 cookie。Pardot cookie 不会存储任何个人识别信息，而仅存储唯一标识符。	10 years 10 年
VISITOR_INFO1_LIVE SID HSID SSID APISID SAPISID YSC GEUP PREF AID NID OTZ LOGIN_INFO	We embed videos from our official YouTube channel into this website using YouTube's privacy-enhanced mode. This mode may set cookies on your computer once you click on the YouTube video player, but YouTube will not store personally identifiable cookie information for playbacks of embedded videos using the privacy-enhanced mode. 我们使用 YouTube 的隐私增强模式将来自 YouTube 官方频道的视频嵌入到此网站中。单击 YouTube 视频播放器后，此模式可能会在您的计算机上设置 Cookie，但 YouTube 不会使用隐私增强模式存储用于识别嵌入视频播放的个人身份 Cookie 信息。	18 months 18 月
xtc	AddThis: Registers the user's sharing of content via social media. AddThis: 注册用户通过社交媒体共享的内容。	1 year 1 年

## Appendix 2 附录二

### Websites to which this Policy applies

本政策适用的网站

This Policy applies to the following websites that are operated or controlled by AGCO:  
本政策适用于爱科运营或控制的以下网站:

<a href="http://africa.valtra.com">africa.valtra.com</a>	A - F
<a href="http://africa.valtra.com/fr">africa.valtra.com/fr</a>	A - F
<a href="http://africa.valtra.com/pt">africa.valtra.com/pt</a>	A - F
<a href="http://www.agco.com.ar">www.agco.com.ar</a>	A - F
<a href="http://www.agco.com.br">www.agco.com.br</a>	A - F
<a href="http://www.agco.dk">www.agco.dk</a>	A - F
<a href="http://agco.sc-cockpit.com">agco.sc-cockpit.com</a>	A - F
<a href="http://agco.sc-cockpit.com">agco.sc-cockpit.com</a>	A - F
<a href="http://www.agcoallis.com.ar">www.agcoallis.com.ar</a>	A - F
<a href="http://www.agcocorp.cn">www.agcocorp.cn</a>	A - F
<a href="http://agcocorp.com">agcocorp.com</a>	A - F
<a href="http://www.agcocorp.mx">www.agcocorp.mx</a>	A - F
<a href="http://www.agcofluidsanalysis.com/EquipCom">www.agcofluidsanalysis.com/EquipCom</a>	A - F
<a href="http://www.agcomediaplace.com">www.agcomediaplace.com</a>	A - F
<a href="http://www.agcomeetings.com">www.agcomeetings.com</a>	A - F
<a href="http://agconet.com">agconet.com</a>	A - F
<a href="http://www.agco-oss.com">www.agco-oss.com</a>	A - F
<a href="http://www.agcopartsandservice.com">www.agcopartsandservice.com</a>	A - F
<a href="http://www.agcopartsbooks.com">www.agcopartsbooks.com</a>	A - F

www.agcopubs.com	A - F
www.agco-rm.ru	A - F
agcoshop.agcoparts.com	A - F
www.agcoshop.co.uk	A - F
www.agcosuomi.fi	A - F
www.agcotechnologies.com	A - F
www.agcotrader.com	A - F
www.agcotripphotos.com	A - F
agrolink.agcotechnologies.com	A - F
allmakes.agcoreman.com	A - F
ame-en.masseyferguson.com	A - F
ame-fr.masseyferguson.com	A - F
www.antarcticatwo.com	A - F
www.antarcticatwo.ru	A - F
apac.oneagco.com	A - F
www.automatedproduction.com	A - F
batterytool.agcoparts.com	A - F
campaign.fendt.tv	A - F
careers.agcocorp.com	A - F
www.challenger-ag.com	A - F
www.challengerag.com.ar	A - F
www.challenger-ag.us	A - F
www.cumberlandpoultry.com	A - F
www.eiksenteret.no	A - F
eme.oneagco.com	A - F
eneafe.agcotechnologies.com	A - F
eneamf.agcotechnologies.com	A - F
eneava.agcotechnologies.com	A - F
ennach.agcotechnologies.com	A - F
ennafe.agcotechnologies.com	A - F
ennamf.agcotechnologies.com	A - F
ensamf.agcotechnologies.com	A - F
ensava.agcotechnologies.com	A - F

www.fella.eu	A - F
www.fendt.com	A - F
www.fendt.hr	A - F
www.fendt.hu	A - F
www.fendt.tv	A - F
www.fendt-katana.com	A - F
www.fendt-katana.fr	A - F
www.fendt-katana.it	A - F
fiveaday.fendt.co.uk	A - F
www.gleanercombines.com	G - Q
global.agcotechnologies.com	G - Q
www.grainsystems.com	G - Q
gsp.oneagco.com	G - Q
www.hesston.com	G - Q
www.holtagcpo.agcocorp.com	G - Q
ideal.masseyferguson.com	G - Q
insideAGCO.agcocorp.com	G - Q
www.intivitycenter.com	G - Q
investors.agcocorp.com	G - Q
konfigurator.fendt.com	G - Q

www.lely-forage.com	G - Q
www.macallistercpo.agcocorp.com	G - Q
mail.agcocorp.com	G - Q
www.manzercpo.agcocorp.com	G - Q
map.antarcticatwo.com	G - Q
www.masseyferguson.co.nz	G - Q
www.masseyferguson.co.ro	G - Q
www.masseyferguson.co.uk	G - Q
www.masseyferguson.co.za	G - Q
www.massey-ferguson.com	G - Q
www.masseyferguson.com.ar	G - Q
www.masseyferguson.com.br	G - Q
www.masseyferguson.com.br/espanol	G - Q
www.masseyferguson.com.tr	G - Q
www.masseyferguson.de	G - Q
www.masseyferguson.dk	G - Q
www.masseyferguson.es	G - Q
www.masseyferguson.fi	G - Q
www.masseyferguson.fr	G - Q
www.masseyferguson.it	G - Q
www.masseyferguson.mx	G - Q
www.masseyferguson.nl	G - Q
www.masseyferguson.ru	G - Q
www.masseyferguson.se	G - Q
www.masseyferguson.us	G - Q
my.oneagco.com	G - Q
onboarding.agcocorp.com	G - Q
www.precisionplanting.com	G - Q
quality.fendt.com	G - Q
rmi.agcopartsandservice.com	R - Z
rmi.agcopartsandservice.com/home	R - Z
shop.challenger-ag.com	R - Z
shop.fendt.com	R - Z
shop.masseyferguson.com	R - Z
www.shopagco.com	R - Z
smarttour.valtradev.com/uk	R - Z
www.spracoupewillmar.com	R - Z
sso.agcocorp.com	R - Z
staging.agcotechologies.com	R - Z
test.fendt.com	R - Z
uklubricants.agcoparts.com	R - Z
www.valtra.at	R - Z
www.valtra.be	R - Z
www.valtra.cn	R - Z
www.valtra.co.uk	R - Z
www.valtra.com	R - Z
www.valtra.com.ar	R - Z
www.valtra.com.au	R - Z
www.valtra.com.br	R - Z
www.valtra.cz	R - Z
www.valtra.de	R - Z
www.valtra.dk	R - Z
www.valtra.ee	R - Z
www.valtra.es	R - Z
www.valtra.fi	R - Z

<a href="http://www.valtra.fr">www.valtra.fr</a>	R - Z
<a href="http://www.valtra.hu">www.valtra.hu</a>	R - Z
<a href="http://www.valtra.it">www.valtra.it</a>	R - Z
<a href="http://www.valtra.lt">www.valtra.lt</a>	R - Z
<a href="http://www.valtra.lv">www.valtra.lv</a>	R - Z
<a href="http://www.valtra.nl">www.valtra.nl</a>	R - Z
<a href="http://www.valtra.no">www.valtra.no</a>	R - Z
<a href="http://www.valtra.pl">www.valtra.pl</a>	R - Z
<a href="http://www.valtra.pt">www.valtra.pt</a>	R - Z
<a href="http://www.valtra.ru">www.valtra.ru</a>	R - Z
<a href="http://www.valtra.se">www.valtra.se</a>	R - Z
<a href="http://www.valtraconnect.com">www.valtraconnect.com</a>	R - Z
<a href="http://www.white-planters.com">www.white-planters.com</a>	R - Z